

# INDEX MAPS.

**T. 8 N. R. 8 E. 2<sup>nd</sup> Mer.**

	73	73	72	72	72	71						
75	6	95	5	91	4	88	3	84	2	81	1	71
	95	95	91	87	84	81						
75	7	94	8	90	9	87	10	83	11	80	12	71
	96	94	90	86	83	80						
74	18	94	17	90	16	86	15	83	14	80	13	70
	96	93	90	86	82	79						
74	19	93	20	89	21	85	22	82	23	79	24	70
	96	93	89	85	82	79	77	77				
74	30	92	29	88	28	85	27	81	26	76	25	69
	97	92	88	85	81	78	78	78	76			
74	31	91	32	88	33	84	78	77	35	76	36	69
	69	68	69	68	67	67	67	67	67			

**T. 9 N. R. 8 E. 2<sup>nd</sup> Mer.**

	105		104		104		104		103		103	
107	6	127	5	121	4	118	3	114	2	110	1	103
	126		126		121		117		114		110	
106	7	126	8	121	9	117	10	113	11	110	12	102
	125		125		120		117		113		109	
106	18	125	17	120	16	116	15	113	14	109	13	102
	124		124		120		116		112		109	
106	19	124	20	119	21	116	22	112	23	108	24	101
	123		123		119		115		112		108	
105	30	123	29	119	28	115	27	111	26	108	25	101
	122		122		118		115		111		107	
105	31	122	32	118	33	114	34	111	35	107	36	101
	100		100		99		99		99		99	

(P The figures on the lines refer to the page.

Township N. 8 North, Range N. 8 E. 2. Mer Ind.<sup>a</sup> 67  
ch. l. m.

### South Boundary

Nest (or S. 89<sup>1</sup>/<sub>2</sub> W.) On S. boundary of Sec. 36

- 6.12 a Beech 44 m. dia.  
18.75 a do. 18 " "  
40.00 Set gr. Sec. post, from which  
a Poplar 60 m. dia. bray S 23 E 25 l. m. dist. of  
a Beech 16 " " " N 14 W 14 " "  
46.10 a Brook 15 l. m. wide Course N 85 W.  
50.20 a Spring rises 100 l. m. S. of the line runs N.  
51.50 a do. do. S. of the line " N.  
54.00 a Creek 50 l. m. wide Course S. W.  
75.00 Same Creek runs with the line 350 l. m. then leaves -  
80.00 Set post Cor. to Sec. 35 & 36, from which  
a Beech 20 m. dia. bray West 13 l. m. dist. of  
a do 24 " " " N 4 E 25 " "  
Land waving, timber Beech, Oak, Sugar,  
ash, Poplar &c.

---

Nest On S. boundary of Sec. 35

- 5.50 Same Creek (above) line runs with it 500 l. m.  
then leaves it S. W.  
40.00 Set gr. Sec. post, from which  
a Beech 6 m. dia. bray N 49 W 25 l. m. dist. of  
a do 6 " " " N 44 E 20 " "  
42.95 a do 18 " "  
46.00 a Creek 120 l. m. wide Course S.  
56.66 a B. Gum 36 m. dia.  
74.50 a Brook 4 l. m. wide Course S.  
75.34 a Beech 32 m. dia.  
80.00 Set post Cor. to Sec. 34 & 35, from which  
a Sugar 13 m. dia. bray S 56 W 10 l. m. dist. of  
a do. 13 " " " S 76 E 19 " "  
Land waving timber Beech, Sugar, Oak  
ash &c.

---

Nest On S. boundary of Sec. 34

T8 N R8 E. 2<sup>nd</sup> Mer. Indianach. 2<sup>nd</sup> M.5.00 a Brook 6<sup>th</sup>. wide Course S.7.30 a Beech 24<sup>th</sup> diam.12.25 a Creek 120<sup>th</sup>. wide Cr. N60<sup>th</sup>W, same (we crossed)26.00 same Creek line runs down it touch the  
North bank as it passes 12.50<sup>th</sup>. Comes out  
on the South side where it runs N80<sup>th</sup>W40.00 At gr. Sec. post, from which  
a B. Oak 17<sup>th</sup> diam. bears N72<sup>th</sup>W 23<sup>th</sup>. dist. of  
a Sugar 8 " " " N63<sup>th</sup>E 18 " "

42.50 a Beech 30 " "

51.50 same Creek runs S. good stream for mill

67.17 a Beech 20<sup>th</sup> diam.73.25 a Brook 6<sup>th</sup>. wide Course S. E80.00 At post Cor. to Sec. 33 of 34, from which  
a B. Walnut 30<sup>th</sup> diam. bears N15<sup>th</sup>E 18<sup>th</sup>. dist. of  
a Beech 7 " " " S50<sup>th</sup>E 20<sup>th</sup>. dist.  
Land waving, timber Beech, Oak, Poplar, Ash

Met On S. boundary of Sec. 33

31.50 a Brook 6<sup>th</sup>. wide Course S. W.40.00 At gr. Sec. post, from which  
a Beech 6<sup>th</sup> diam. bears N41<sup>th</sup>E 31<sup>th</sup>. dist. of  
a Do. 6 " " " S31<sup>th</sup>W 19 " "47.50 a Brook 10<sup>th</sup>. wide Course with the line

54.25 leave it running N. W.

60.70 a Brook 30<sup>th</sup>. wide Course S. W.80.00 At post Cor. to Sec. 32 of 33, from which  
a Sugar 13<sup>th</sup> diam. bears N28<sup>th</sup>E 34<sup>th</sup>. dist. of  
a Beech 5 " " " S57<sup>th</sup>W 11 " "  
Land waving, timber Beech, Sugar, Oak, Ash &c.

Met On S. boundary of Sec. 32

12.67 Intersected Boundary line, At post, from which  
a Beech 32<sup>th</sup> diam. bears N66<sup>th</sup>E 22<sup>th</sup>. dist. of  
a Do. 5 " " " S35<sup>th</sup>W 7 " "  
Land waving, timber Beech, Sugar, Oak, Ash &c.



T8N R8E, 2.<sup>nd</sup> Mer. Indiana 69  
Ch. Lth

November 11<sup>th</sup> 1876, John Brownson, D. S.  
40.69 Set q. Sec. post, from which  
a Beech 30 m. dist. bray N66E32 lth. dist. of  
a Sugar 12 " " " S32N25 " "  
43.69 at Branch 8 lth. wide Course S.  
80.00 Set post Cor. to Sec. 31 & 32, from which  
a Beech 30 m. dist. bray N58W40 lth. dist. of  
a do. 6 " " " S69E7 " "  
Broken land good soil, timber Beech, Poplar &c

---

Met On S. boundary of Sec. 31  
40.00 Set q. Sec. post, from which  
a Beech 20 m. dist. bray N62W25 lth. dist. of  
a do. 12 " " " S67E24 " "  
75.25 Intersected Town Corner, from which  
a Sugar 14 m. dist. bray N51W21 lth. dist. of  
a Beech 21 " " " S71E44 " "  
June 6<sup>th</sup> 1879 John McDonald, D. S.

---

East Boundary. var. 5°30'E.  
North On E. boundary of Sec. 36, T8N, R8E.  
0.96 a Beech 40 m. dist.  
28.65 a do. 13 " "  
35.00 a Creek 50 lth. wide Course N.  
40.00 Set q. Sec. post, from which  
a Sugar 40 m. dist. bray N25E24 lth. dist. of  
a Beech 5 " " " S35W13 " "  
65.53 a Maple 18 " "  
80.00 Set post Cor. to Sec. 25 & 36, from which  
a Beech 15 m. dist. bray N82E18 lth. dist. of  
a do. 10 " " " S50W25 " "  
Land flat, timber Beech, Maple, Gum, Oak &c.

---

North On E. boundary of Sec. 25  
3.80 a Poplar 38 m. dist.  
13.60 a Beech 16 " "

70 S. & R. & E. 2<sup>nd</sup> Mer Indiana

- ch. 1<sup>st</sup> 40.00 At gr. Sec. post, from which  
a Beech 24 m. dist. bran N 85 E 15 lns. dist. of  
a do. 11 " " " N 77 W 11 " "  
On S. bank of a brook 25 lns. wide C. & S. N. W.  
60.75 a Brook 20 lns. wide Corner S. N. W.  
71.82 a Beech 30 m. dist.  
80.00 At post Cor. to Sec. 24 & 25, from which  
a Beech 9 m. dist. bran N 87 E 7 lns. dist. of  
a do. 24 " " " N 59 W 39 " "  
Land waving, good timber Beech, Sugar,  
Oak, Poplar &c.

North On E. boundary of Sec. 24

- 10.50 a Brook 6 lns. wide Corner N. 50 lns. where it  
falls into a creek 120 lns. wide a short bend  
40.00 At gr. Sec. post, from which  
a Beech 7 m. dist. bran S 89 E 37 lns. dist. of  
a do. 15 " " " S 89 W 34 " "  
59.37 Intersected Boundary line, At post, from which  
a Beech 9 m. dist. bran S 67 W 9 lns. dist. of  
a do. 8 " " " S 77 E 19 " "  
Land waving good, timber Beech, Sugar, Oak  
Ash &c. November 10<sup>th</sup> 1876.

John Brownson, L. S.

Continued from the Boundary line

- 18.63 At post Cor. to Sec. 13 & 24, from which  
a Beech 20 m. dist. bran N 66 E 28 lns. dist. of  
a do. 10 " " " S 30 W 6 " "  
(Note, The above distance in the Column  
should be 20.63 instead of 18.63, therefore it wants  
two chains of being a mile. S. M.)

North On East Boundary of Sec. 13

- 6.00 a Creek 120 lns. wide Corner S. N. W.  
19.65 a Branch 12 lns. " " S. E  
40.00 At gr. Sec. post, from which

# 71

## T8 N - R8 E. 2<sup>d</sup> Mer. Indiana

ch. 1<sup>st</sup> 1<sup>st</sup>

a Beech 9 mi. dist. from S88W 23 lks. dist. of  
 a do. 6 " " " N75E 5 "  
 80.00 Set post Cor. to Sec. 12 & 13, from which  
 a Beech 14 mi. dist. from N65E 24 lks. dist. of  
 a Hickory 9 " " " S52W 38 " "  
 Land with timber Ash, Elm &c.

### North On E. boundary Sec. 12

18.00 Intersected fallen timber of Brush  
 40.00 Set q. Sec. post, from which  
 a Run 4 mi. dist. from N35E 24 lks. dist. of  
 a do. 6 " " " S25E 12 " "  
 49.00 Intersected timber bearing S.W. of N.E.  
 80.00 Set post Cor. to Sec. 11 & 12, from which  
 a Beech 12 mi. dist. from S5W 15 lks. dist. of  
 a do. 18 " " " N35E 31 " "  
 Low Brushy land

### North On E. boundary of Sec. 1

19.85 a Creek 50 lks. wide Comes S.W.  
 40.00 Set q. Sec. post, from which  
 a Beech 9 mi. dist. from S58E 7 lks. dist. of  
 a do. 7 " " " S61W 13 " "  
 47.55 a Brook 4 lks. wide Comes S.W.  
 52.70 a Branch 15 " " " S.W.  
 55.70 Same " " " S.E.  
 78.70 Same " " " S.W.  
 78.85 Set post Cor. to Township 8 & 9 North,  
 Range 8 & 9 East, from which  
 a Beech 15 mi. dist. from N81W 14 lks. dist. of  
 a do. 9 " " " S11W 17 " "  
 Broken land, timber Beech, Ash, Poplar,  
 Elm &c. underg<sup>th</sup> Spice, good Soil

### North Boundary

West On S. boundary of Sec. 36, T9 N. R8 E.



T 8 N. R 8 E. 2<sup>nd</sup> Mer. Indiana

ch. lks

28.00 a Branch 5 lks. wide Course S.

40.00 Set q<sup>r</sup>. Sec. post, from which  
an Ash 20 in. diam. bray N 73 E 25 lks. dist. of  
a Beech 6 " " " S 60 W 16 " "

67.30 a Brook 7 lks. wide Course S.

80.00 Set post Cor. to Sec. 35, 36, T 9 N. R 8 E, from which  
an Ash 27 in. diam. bray N 76 W 37 lks. dist. of  
a Beech 12 " " " S 73 E 20 " "  
Land 2<sup>nd</sup> rate Beech, Poplar &c. under Office

Nest On S. boundary of Sec. 35, T 9 N. R 8 E

40.00 Set q<sup>r</sup>. Sec. post, from, from, which  
a Beech 15 in. diam. bray N 43 E 6 lks. dist. of  
a Do. 20 " " " S 13 E 14 " "

71.75 a Poplar 60 " "

80.00 Set post Cor. to Sec. 34 & 35, T 9 N. R 8 E, from which  
a Sugar 12 in. diam. bray N 20 E 3 lks. dist. of  
a Beech 27 " " " S 41 W 33 " "  
Land level, timber Beech, Poplar, Ash &c.  
underg<sup>th</sup> Specie, 2<sup>nd</sup> rate as above

Nest On S. boundary of Sec. 34, T 9 N. R 8 E.

7.00 a Branch 6 lks. wide Course S. W

27.90 a Do. 6 " " " South

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Gum 24 in. diam. bray S 20 W 33 lks. dist. of  
a Beech 24 " " " N 37 W 8 " "80.00 Set post Cor. to Sec. 33 & 34, T 9 N. R 8 E, from which  
a Beech 16 in. diam. bray S 64 W 20 lks. dist. of  
a Do. 12 " " " N 37 E 20 lks. "  
flat land, timber Ash, Beech, Poplar &c.  
underg<sup>th</sup> Specie &c.

Nest On S. boundary of Sec. 33, T 9 N. R 8 E.

16.40 a Branch 12 lks. wide Course S. E.

20.69 an Elm 40 in. diam.

# 73

## T8 N. R8 E. 2<sup>d</sup> Mer. Indiana

ch. l. l. y

- 40.00 Set of Sec. post, from which  
a Beech 40 in. dia. bray N49 E 9 l. h. dist. of  
a Do. 7 " " " N6 W 31 " "
- 67.58 an Elm 25 " "
- 80.00 Set post cor. to Sec. 32 & 33, T9 N. R8 E, from which  
a Beech 9 in. dia. bray N59 W 13 l. h. dist. of  
an Oak 10 " " " S34 E 25 " "  
Flat wet land, timber Beech, Poplar, Ash,  
Elm &c. underg<sup>th</sup> Spruce &c

Met On S. boundary of Sec. 32, T9 N. R8 E.

- 14.00 a Branch 10 l. h. wide Course S.
- 15.80 a Beech 27 in. dia.
- 18.00 a Branch 6 l. h. wide Course S.
- 40.00 Set of Sec. post, from which  
an Ash 16 in. dia. bray S25 W 20 l. h. dist. of  
a Poplar 6 " " " S30 E 38 " "
- 41.00 enter a Swamp
- 53.00 leave the Swamp
- 61.00 enter a Swamp
- 80.00 At post cor. to Sec. 31 & 32, T9 N. R8 E, from which  
an Ash 6 in. dia. bray N86 W 4 l. h. dist. of  
a Maple 6 " " " South 10 " "  
Land flat and wet.

Met On S. boundary of Sec. 31, T9 N. R8 E.

- 12.00 leave the Swamp
- 33.50 an Oak 40 in. dia.
- 40.00 Set of Sec. post, from which  
a Beech 24 in. dia. bray N61 W 17 l. h. dist. of  
a Do. 14 " " " S76 E 11 " "
- 51.16 a Y. Oak 50 " "
- 75.50 Intersected Township Corner.  
Land timber &c. same as on the last mile  
June 12<sup>th</sup> 1819



*S. N. R. & E. 2<sup>d</sup> Mer. Indiana*  
*ch. 1<sup>st</sup> 1<sup>st</sup>*

*West Boundary. var. 6° 45' E.*  
*North On E. boundary of Sec. 36, S. N. R. & E.*  
 20.00 a Creek 100 yds. wide Course N.  
 40.00 At gr. Sec. post, from which  
     a Beech 36 in. dia. bray N 30° W 10 yds. dist. &  
     a do. 7 " " " S 66° E 18 " "  
 80.00 At post cor. to Sec. 25 & 36, from which  
     a Beech 21 in. dia. bray N 56° E 35 yds. dist. &  
     a do. 18 " " " S 75° W 24 " "  
 Broken land, soil good, timber Beech, Poplar,  
 Oak &c. underg<sup>th</sup> Spruce &c.

*North On E. boundary of Sec. 25, S. N. R. & E.*  
 30.00 a Creek 80 yds. wide Course S. W. of then S. E.  
 40.00 At gr. Sec. post, from which  
     a Beech 6 in. dia. bray N 23° W 21 yds. dist. &  
     a do. 18 " " " S 53° E 15 " "  
 44.00 a Creek 80 yds. wide Course S. W.  
 80.00 At post cor. to Sec. 24 & 25, S. N. R. & E, from which  
     a Beech 27 in. dia. bray N 31° W 34 yds. dist. &  
     a do. 9 " " " S 60° E 10 " "  
 Broken land, timber Sugar, Beech, Ash,  
 Elm, Walnut &c. underg<sup>th</sup> Spruce &c.

*North On E. boundary of Sec. 24, S. N. R. & E.*  
 40.00 At gr. Sec. post, from which  
     a Beech 36 in. dia. bray N 57° E 15 yds. dist. &  
     a do. 10 " " " S 55° W 12 " "  
 73.00 a Creek 70 yds. wide Course N. E.  
 80.00 At post cor. to Sec. 13 & 24, S. N. R. & E, from which  
     a Sugar 18 in. dia. bray S 52° W 27 yds. dist. &  
     a do. 10 " " " N 37° W 20 " "  
 Rich land, timber Beech, Sugar, Ash, Poplar,  
 Walnut &c. underg<sup>th</sup> Spruce &c

*North On E. boundary of Sec. 13, S. N. R. & E*

# T8 N R8 E 2.<sup>nd</sup> Mer. Indiana

75

ch. lth.

- 34.00 a Creek 70 lth. wide Course S. W.  
 40.00 Setqr. Sec. post, from which  
 a Sugar 10 in. dia. bray S 20 W 37 lth. dist. of  
 a do. 10 " " " N 71 E 11 " "  
 80.00 Set post cor. to Sec. 12 & 13, T8 N. R7 E. in a creek  
 50 lth. wide Course S. W. from which  
 a Beech 7 in. dia. bray S 60 W 43 lth. dist. of  
 an Ash 18 " " " S 5 E 34 " "  
 Land timber &c. same as on the last mile

---

North On E. boundary of Sec. 12, T8 N. R7 E.

- 7.00 a Creek 100 lth. wide Course S. E.  
 18.00 a Branch 10 " " " N. E.  
 28.00 a same " " " " N. W.  
 40.00 Setqr. Sec. post, from which  
 a Beech 20 in. dia. bray N 45 E 8 lth. dist. of  
 a do. 6 " " " S 40 W 13 " "  
 49.00 a Branch 14 lth. wide Course S. W.  
 80.00 Set post cor. to Sec. 11 & 12, T8 N. R7 E. from which  
 a Beech 13 in. dia. bray S 3 W 14 lth. dist. of  
 a do. 6 " " " S 8 E 16 " "  
 Land timber &c. same as on last mile

---

North On E. boundary of Sec. 1, T8 N. R7 E

- 20.00 a Branch 10 lth. wide Course S. W.  
 40.00 Setqr. Sec. post, from which  
 a Beech 6 in. dia. bray S 76 E 6 lth. dist. of  
 a do. 12 " " " N 42 W 16 " "  
 78.92 Set post cor. to Township 8 & 9 North, Range  
 7 & 8 East, from which  
 an Elm 27 in. dia. bray N 6 W 18 lth. dist. of  
 a do. 8 " " " S 56 E 22 " "  
 (description of land, timber &c. omitted)

June 6<sup>th</sup> 1819

John M. Donald, d. S.

---

T. S. N. P. & C. 2<sup>nd</sup> Mer. Indiana  
ch. 2. 6<sup>th</sup>

Subdivision. Jan. 8<sup>th</sup> 1807

North Between Sec. 35 & 36

20.09 a Beech 15 in. dist.

40.00 Set of Sec. post, from which

a Beech 7 in. dist. by N 36° W 20 lns. dist. of

a do. 7 " " " N 40° E 19 " "

62.59 a Beech 9 " "

80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which

a Beech 24 in. dist. by S 55° E 20 lns. dist. of

a do. 18 " " " N 64° W 19 " "

Land level, timber Beech, Sugar, Poplar, Gum  
&c. underg<sup>th</sup> Spruce, (Middling good farming land)

East On Rand<sup>m</sup> between Sec. 25 & 36

40.00 Set temp<sup>y</sup> of Sec. post

80.69 intersected the E. boundary 50 lns. S. of post

Land level timber same poor farming land

West On true line between Sec. 25 & 36

40.34 Set of Sec. post at average dist. from which

a Beech 24 in. dist. by N 45° W 12 lns. dist. of

a do. 12 " " " S 29° E 18 " "

80.69 to Sec. Corner. January 9<sup>th</sup> 1807

North Between Sec. 25 & 26

24.14 a Sugar 15 in. dist.

31.00 a Creek 150 lns. wide Course S. W.

40.00 Set of Sec. post, from which

a Beech 18 in. dist. by S 72° E 29 lns. dist. of

a Sugar 14 " " " N 76° W 26 " "

61.67 a Beech 5 " "

80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which

an Elm 6 in. dist. by N 72° W 13 lns. dist. of

a W. Ash 14 " " " N 81° E 5 " "

Land rolling, timber Beech, Poplar, Sugar  
Ash &c. underg<sup>th</sup> Spruce, (Middling farming land)



# T8 N R8 E 2<sup>nd</sup> Mer. Indiana

77

ch. 14<sup>th</sup>

East On Rand<sup>m</sup>. between Secs. 24 & 25

40.00 Let temp<sup>y</sup>. of Sec. post

48.50 a creek 100 yds. wide Course S.W.

79.67 Intersected the E. boundary 39 yds. S. of post  
Land broken, timber same, hardly (muddling)  
farming land.

---

West On true line between Secs. 24 & 25

39.83 Let of Sec. post at average dist. from which  
a Beech 20 in. dia. - bay S 84 E 34 yds. dist. of  
a do. 12 " " " S 28 W 11 " "

79.67 to Sec. Corner

---

North Between Secs. 23 & 24

6.41 Intersected Boundary line, let post, from which  
a Sugar 15 in. dia. - bay S 44 W 32 yds. dist. of  
a Beech 14 " " " S 80 E 28 " "  
Land & timber same

---

West Between Secs. 23 & 26

9.70 Intersected Boundary line, let post, from which  
a Beech 5 in. dia. - bay N 80 E 29 yds. dist. of  
a do. 6 " " " S 22 E 27 " "

---

North Between Secs. 34 & 35

20.53 a Beech 10 in. dia. -

40.00 Let of Sec. post, from which  
a Beech 6 in. dia. - bay S 5 W 23 yds. dist. of  
a do. 6 " " " N 5 E 7 " "

61.36 a do. 18 " "

80.00 let post Cor. to Secs. 26, 27, 34 & 35, from which  
a Beech 8 in. dia. - bay S 80 W 10 yds. dist. of  
a do. 20 " " " S 62 E 2 " "

Land part rolling & part broken, timber Beech  
Poplar, Sugar, ash, Gum, Oak &c under of<sup>th</sup>  
Spruce & green birch, Muddling farming land

St. R & E. 2<sup>nd</sup> Mer. Indiana

ch. 2<sup>nd</sup> Mer.

East On Rand<sup>m</sup>. between Sec. 26 & 35

31.00 a Creek 100 lks. wide Course S. W.

40.00 Set temp<sup>y</sup>. of Sec. post

79.60 Intersected the N & S. line 10 lks. S. of post  
Land rolling, timber same, good farming land

---

West On true line between Sec. 26 & 35

39.80 Set of Sec. post at average dist. from which  
a Beech 30 in. dia. brn, S 52 E 40 lks. dist. of  
a Do. 17 " " " N 38 W 16 " "

79.60 to Sec. Corner.

---

North Between Sec. 26 & 27

32.70 Intersected Boundary, Set post, from which  
a Beech 10 in. dia. brn, S 30 W 36 lks. dist. of  
a Do. 10 " " " N 42 E 7 " "

Land level, timber Beech, Poplar, Maple.  
Lum, Oak &c., poor farming land

---

West Between Sec. 27 & 34

24.91 a Beech 10 in. dia.

40.00 Set of Sec. post, from which  
a Sugar 9 in. dia. brn, S 52 W 8 lks. dist. of  
a W. Ash 8 " " " N 9 E 27 " "

47.10 Intersected Boundary, Set post, from which  
a Beech 12 in. dia. brn, S 37 W 18 lks. dist. of  
a Poplar 10 " " " N 23 E 19 " "  
Land timber &c. Same as last mile

---

North Between Sec. 33 & 34

20.50 a Beech 12 in. dia.

40.00 Set of Sec. post, from which  
a Beech 9 in. dia. brn, S 18 W 39 lks. dist. of  
a Sugar 15 " " " N 58 E 20 " "

60.50 Intersected Boundary, Set post, from which  
a Sugar 5 in. dia. brn, S 59 E 23 lks. dist. of

S. N. R. & E. 2<sup>nd</sup> Mer. Indiana

79

ch. P. Lk.

a Poplar 48 mi. dist. from 144 W 47 Lk. dist. of  
Land Creek, timber Beech, Poplar, Ash, Gum &c  
from farming land.

---

North Between Sec. 32 & 33

8.38 Intersected Boundary, let post, from which  
a Beech 15 mi. dist. from 110 E 15 Lk. dist. of  
a do 27 " " " N 59 E 18 " "  
Variation of the Compass 5° 40' E.  
Surveyed in 1807 by  
William Harris, L. S.

---

In the New Purchase var. 6° 30' E.  
North Between Sec. 23 & 24 (from post on boundary)

12.50 a Beech 12 mi. dist. from  
33.59 let q. Sec. post from which  
a Beech 16 mi. dist. from North 9 Lk. dist. of  
a do. 12 " " " N 10 W 12 " "  
58.59 a Sycamore 36 " "  
73.59 let post Cor. to Sec. 23, 24, 13 & 14, from which  
a Beech 12 mi. dist. from 123 W 6 Lk. dist. of  
a do. 18 " " " N 54 E 22 " "  
Hilly 3<sup>rd</sup> rate land Beech, Oak &c. undergrowth  
dogwood &c

---

East On Rand. between Sec. 13 & 24

40.00 let temp. q. Sec. post  
75.00 Crossed Land Creek 100 Lk. wide Course S.  
80.44 Intersected the E. boundary 35 Lk. S. of post  
Hilly 5<sup>th</sup> rate land, Beech, Oak, Poplar &c  
underg<sup>th</sup> dogwood Spruce &c.

---

West Cor. between Sec. 13 & 24

5.44 to Land Creek. S.  
40.22 let q. Sec. post at average dist. from which  
a Beech 10 mi. dist. from 133 E 17 Lk. dist. of



80

S 8 N R 8 E 2<sup>d</sup> Mer. Indianach. 1<sup>st</sup> 1/2

a Beech 30 in. dia. bray N 35 W 25 lns. dist.  
80.44 to Sec. Corner.

North Between Sec. 13 &amp; 14

24.90 a Beech 12 in. dia.

40.00 Set gr. Sec. post, from which

a Beech 12 in. dia. bray N 69 W 15 lns. dist. &amp;

a Do. 18 " " " N 46 E 14 " "

50.00 enter fallen timber

80.00 Set post Cor. to Sec. 11, 12, 13 &amp; 14, from which

a Poplar 48 in. dia. bray N 45 W 7 lns. dist. &amp;

a Beech 10 " " " S 72 E 47 " "

Level 3<sup>d</sup> rate land, Beech, Oak, Hickory &c.  
winding<sup>th</sup> Dogwood.

East On Ran. 8<sup>m</sup> between Sec. 12 & 13

40.00 Set temp. gr. Sec. post

80.90 Intersected the E. boundary 60 lns. S. of post  
Hilly, 3<sup>d</sup> rate, very brushy. Almost the whole  
distance through fallen timber

West Cor. to Sec. 12 &amp; 13

40.45 Set gr. Sec. post at average dist. from which

a Beech 4 in. dia. bray N 10 E 40 lns. dist. &amp;

a Dogw. 4 " " " N 20 E 11 " "

80.96 to Corner

North Between Sec. 11 &amp; 12

20.00 left fallen timber

26.25 a Beech 12 in. dia.

40.00 Set gr. Sec. post, from which

a Beech 12 in. dia. bray S 23 W 11 lns. dist. &amp;

a Do. 10 " " " N 11 E 19 " "

65.30 a Poplar 48 " "

80.00 Set post Cor. to Sec. 1, 2, 11 &amp; 12, from which

a Beech 11 in. dia. bray S 87 E 8 lns. dist. &amp;

# N 8 E 2<sup>d</sup> Mer. Indiana ch. lth.

a Beech 12 in. dia. bray N 30 W 20 lth. dist. of  
Broken 3<sup>d</sup> rate land, Beech, Oak, Poplar &c.  
winding<sup>th</sup> dogwood & spice &c.

## East On Land between Sec. 1 & 2

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.96 Intersected the N & S. line 113 lth. S. of post  
Broken 3<sup>d</sup> rate land Red Oak, Beech, Poplar  
&c. winding<sup>th</sup> dogwood, Beech &c.

## West Connected between Sec. 1 & 2

40.48 Let q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 12 in. dia. bray N 71 E 20 lth. dist. of  
a do. 10 " " " N 63 W 8 " "  
80.96 to Sec. Corner.

## North Between Sec. 1 & 2

19.75 a Beech 16 in. dia.  
24.00 Crossed Wyalosing Cr. 25 lth. wide Cr. S 30 W.  
40.00 Let q<sup>r</sup>. Sec. post, from which  
a Beech 24 in. dia. bray N 73 E 32 lth. dist. of  
a do. 30 " " " N 32 W 15 " "  
62.40 a Fr. Ash 24 " "  
79.68 Intersected N. boundary 350 E. of post  
Let post Cor. to Sec. 1 & 2, from which  
a Poplar 60 in. dia. bray N 31 W 9 lth. dist. of  
a Beech 12 " " " N 4 W 26 " "  
Rolling 2<sup>d</sup> rate land, Beech, Oak, Poplar  
&c. winding<sup>th</sup> Spice

## North Between Sec. 26 & 27, (from old boundary line)

7.30 Let q<sup>r</sup>. Sec. post, from which  
a Beech 16 in. dia. bray N 83 W 19 lth. dist. of  
a do. 12 " " " N 79 E 15 " "  
33.45 a Maple 16 " "  
47.30 Let post Cor. to Sec. 22, 23, 26 & 27, from which

82

S. N. R & E. 2<sup>nd</sup> Mer. Indianach. 2<sup>nd</sup> 1/2

a Beech 36 in. dia. br. S 10. W 12 1/2 lns. dist. &  
 a do. 15 " " " N 11 E 43 "  
 Flat wetland, Beech, Maple, Hickory, Oak  
 &c. underg<sup>g</sup>. Beech &c

East 1/2 Land<sup>m</sup>. between Sec. 23 & 2640.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post

72.08 Intersected Boundary line at post

81.78 Intersected N &amp; S. line

Level 3<sup>rd</sup> rate land, Beech, Oak &c.  
 underg<sup>g</sup>. Dogwood

West Corner between Sec. 23 &amp; 26

40.89 Set g<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 10 in. dia. br. S 89 W 22 lns. dist. &  
 a do. 15 " " " N 20 W 13 " "

81.78 to Sec. Corner.

North Between Sec. 22 &amp; 23

38.75 a Beech 12 in. dia.

40.00 Set g<sup>r</sup>. Sec. post, from which  
 a Beech 15 in. dia. br. S 21 W 14 lns. dist. &  
 a do. 15 " " " North 14 " "

60.00 enter fallen timber

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which  
 a Dogwood 4 in. dia. br. S 12 E 12 lns. dist. &  
 a Hornbeam 4 " " " N 12 E 8 "  
 Shilly 3<sup>rd</sup> rate land, Beech, Oak, Hickory  
 &c. underg<sup>g</sup>. Dogwood &c.

East On Land<sup>m</sup>. between Sec. 14 & 2340.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post

80.60 Intersected the N &amp; S. line 120 lns. N. of post

Shilly 3<sup>rd</sup> rate land, Brushy, through  
 fallen timber



83

T. S. N. R. & E. D. Mer. Indiana

ch. 24

Met On true line between Sec. 14 & 23

40.30 Set of Sec. post at average distance in a  
thicket no bearing trees

80.60 to Sec. Corner

---

North Between Sec. 14 & 15

12.00 leave fallen timber

21.78 a Poplar 12 in. dia.

40.00 Set of Sec. post, from which

a Beech 6 in. dia. bear 170 E 28 N. dist. of

a Do. 12 " " " East 23 " "

67.00 a Poplar 60 " "

80.00 Set post Cor to Sec. 10, 11, 14 & 15, from which

a Poplar 6 in. dia. bear 180 E 6 N. dist. of

a Sugar 12 " " " West 14 " "

Rolling 2<sup>nd</sup> rate land, Beech, Poplar, Sugar &c.  
under 2<sup>nd</sup> Spruce &c.

---

East On On Rand. between Sec. 11 & 14

40.00 Left temp. of Sec. post

80.72 Intersected the N & S. line 150 Yds. N. of post

Rolling 2<sup>nd</sup> rate land, Beech, Oak, Sugar, Poplar  
&c. under 2<sup>nd</sup> Spruce

---

Met On true line between Sec. 11 & 14

40.36 Set of Sec. post at average dist. from which

a Beech 12 in. dia. bear 170 E 9 N. dist. of

a Sugar 8 " " " N 30 E 27 " "

80.72 to Sec. Corner.

---

North Between Sec. 10 & 11

33.52 a Beech 15 in. dia.

37.00 crossed Nyalosong Cr. runs S. W.

40.00 Set of Sec. post, from which

a Beech 10 in. dia. bear 138 W 8 N. dist. of

a Beech 36 " " " N 62 E 17 " "

84 S 8 E N 8 E. T<sup>h</sup>. Mer. Indiana  
 ch<sup>l</sup> l<sup>h</sup>rs.  
 70.10 a Beech 10 in. dia.  
 80.00 Let post cor. to Sec. 2, 3, 10 & 11, from which  
 a Sugar 30 in. dia. bray N 65 E 38 l<sup>h</sup>rs. dist. of  
 a Beech 15 " " " N 53 W 17 " "  
 Rolling 2<sup>nd</sup> rate land, Beech, Poplar, Sugar  
 & c. ending<sup>th</sup> Spruce

---

East On Rand<sup>m</sup>. between Sec. 2 & 11  
 40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 70.00 Crossed Wyalosing Cr. 30 l<sup>h</sup>rs. wide S. W.  
 80.52 Intersected the S. D. line 200 l<sup>h</sup>rs. North of  
 post. Rolling 2<sup>nd</sup> rate land, Beech, Oak,  
 Sugar, Poplar & c

---

West Cornetted between Sec. 2 & 11  
 40.26 Let q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 36 in. dia. bray N 50 E 14 l<sup>h</sup>rs. dist. of  
 a Sugar 8 " " " N 45 W 12 " "  
 80.52 to Sec. Corner.

---

North Between Sec. 2 & 3  
 22.33 a Beech 20 in. dia.  
 40.00 Let q<sup>r</sup>. Sec. post, from which  
 a Hickory 15 in. dia. bray N 80 E 10 l<sup>h</sup>rs. dist. of  
 a Beech 12 " " " N 40 W 18 " "  
 54.60 a Poplar 48 " "  
 77.25 Intersected N. boundary 346 l<sup>h</sup>rs. E. of post  
 Let post Cor. to Sec. 2 & 3 from which  
 a Poplar 30 in. dia. bray N 55 E 24 l<sup>h</sup>rs. dist. of  
 a Beech 12 " " " N 70 W 13 " "  
 Rolling 2<sup>nd</sup> rate land, timber Beech, Poplar  
 Sugar & c. ending<sup>th</sup> Spruce, November 19<sup>th</sup> 1879

---

North Between Sec. 33 & 34 (from old boundary line)  
 19.50 Let post Cor. to Sec. 27, 28, 33 & 34, from which  
 a W. Oak 12 in. dia. bray S 56 E 9 l<sup>h</sup>rs. dist. of

85

*T & N P & E. 2<sup>d</sup> Mer. Indiana*  
*ch. P. 16<sub>1</sub>*  
a Beech 20 in. diam. bran N 37 W 23 1/2 m. dist. &  
Level 3<sup>d</sup>. rate land, Beech, Poplar, Hickory

---

East On Randm. between Sec. 27 & 34  
31.00 Intersected Boundary line at Corner  
Broken 3<sup>d</sup>. rate land Beech, Hickory &c.

---

North Between Sec. 27 & 28  
24.00 a W. Oak 15 in. diam.  
40.00 Set of Sec. post from which  
a Beech 10 in. diam. bran S 40 E 15 1/2 m. dist. &  
a do. 15 " " " N 27 W 17 " "  
69.21 a Beech 12 " "  
80.00 Set post Cor. to Sec. 21, 22, 27, 28, from which  
a Beech 4 in. diam. bran S 35 E 2 1/2 m. dist. &  
a do. 10 " " " N 10 E 7 " "  
Level 3<sup>d</sup>. rate land Beech, Oak, Hickory &  
underg<sup>th</sup> Spruce.

---

East On Randm. between Sec. 22 & 27  
40.00 Set temp<sup>y</sup> of Sec. post  
80.10 Intersected the N & S. <sup>line</sup> 75 m. S. of post  
Broken 3<sup>d</sup>. rate land Beech, Oak, Poplar &c.  
underg<sup>th</sup> Dogwood &c.

---

Not Corrected between Sec. 22 & 27  
40.05 Set of Sec. post at average dist. from which  
a Beech 8 in. diam. bran N 85 W 7 m. dist. &  
a do. 24 " " " N 65 E 27 " "  
80.10 to Sec. Corner

---

North Between Sec. 21 & 22  
20.73 a Beech 18 in. diam.  
40.00 Set of Sec. post, from which  
a Beech 30 in. diam. bran S 44 E 25 m. dist. &  
a do. 30 " " " N 30 W 36 " "



# S & N R & E. 2<sup>nd</sup> Mer. Indiana

ch. l. l. h.

- 50.00 Crossed Myaloosing 30 l. h. wide Course S 40° W  
 55.38 a Red Oak 30 m. dist.  
 80.00 Let post Cor. to Sec. 15, 16, 21 & 22, from which  
 a Beech 4 m. dist. bearing S 30° E 19 l. h. dist. of  
 a dlo. 15 " " " N 21° W 33 " "  
 Broken 2<sup>nd</sup> rate land, Beech, Poplar, Oak  
 Sugar &c. underg<sup>th</sup> Spruce &c.
- 

East On Land 8<sup>m</sup> between Sec. 15 & 22

- 30.50 Crossed Myaloosing  
 40.00 Let temp. q. Sec. post  
 80.72 Intersected the st of S. line 115 l. h. S. of post  
 Hill 3<sup>rd</sup> rate land, Beech, Poplar, Ash &c.  
 underg<sup>th</sup> Dogwood Spruce &c.
- 

West Corrected between Sec. 15 & 22

- 40.36 Let q. Sec. post at average dist. from which  
 a Hornbeam 4 m. dist. bearing North 3 l. h. dist. of  
 a Sugar 3 " " " S 48° W 17 " "  
 80.72 to Sec. Corner.
- 

North Between Sec. 15 & 16

- 20.00 enter fallen timber  
 22.50 a Sugar 12 m. dist.  
 37.50 leave fallen timber  
 40.00 Let q. Sec. post, from which  
 a Beech 30 m. dist. bearing N 18° E 16 l. h. dist. of  
 a dlo. 6 " " " S 72° W 21 " "  
 68.90 a dlo 10 " " " S 73° W 26 " "  
 80.00 Let post Cor. to Sec. 9, 10, 15 & 16, from which  
 a Beech 10 m. dist. bearing N 47° E 5 l. h. dist. of  
 a dlo. 6 " " " S 73° W 26 " "  
 Rolling 2<sup>nd</sup> rate land, Beech, Poplar, Sugar &c.  
 Ash, underg<sup>th</sup> Spruce
- 

East On Land 8<sup>m</sup> between Sec. 10 & 15

# 87

## S&N N&E 2<sup>nd</sup> Mer. Indiana

ch. 1<sup>st</sup> 1/4

- 40.00 Set temp. pt. of Sec. post  
 73.50 Crossed Myaloosing br. run S.  
 80.50 Intersected the St of S. line 100 lms. S. of post  
 Level 2<sup>nd</sup> rate land, Beech, Poplar, Ash, Sugar  
 &c. underg<sup>th</sup> Spruce
- 

- Most Corrected between Sec. 10 & 15  
 40.25 Set of Sec. post, at average dist. from which  
 a Beech 4 in. diam. bear S 85° W 8 lms. dist. of  
 a Do. 10 " " " East 8 " "  
 80.50 to Sec. Corner.
- 

- North Between Sec. 9 & 10  
 22.50 a Sugar 18 in. diam.  
 40.00 Set of Sec. post, from which  
 a Beech 10 in. diam. bear N 77° W 14 lms. dist. of  
 a Do. 12 " " " S 29° E 20 " "  
 63.05 a Beech 20 " "  
 80.00 Set post cor. to Sec. 3, 4, 9 & 10, from which  
 a W. Ash 30 in. diam. bear North 10 lms. dist. of  
 a Beech 18 " " " S 7° W 32 " "  
 Level 2<sup>nd</sup> rate land, Beech, Ash, Sugar, Poplar  
 &c. underg<sup>th</sup> Spruce
- 

- East On Rand<sup>m</sup>. between Sec. 3 & 10  
 40.00 Set temp. pt. of Sec. post  
 80.66 Intersected the St of S. line 150 lms. S. of post  
 Level 2<sup>nd</sup> rate land, Beech, Poplar, Sugar  
 Hickory &c. underg<sup>th</sup> Spruce.
- 

- Most Corrected between Sec. 3 & 10  
 40.33 Set of Sec. post at average dist. from which  
 a Spruce 24 in. diam. bear S 36° E 30 lms. dist. of  
 a Beech 20 " " " N 73° W 28 " "  
 80.66 to Sec. Corner
-

S. N. R. & E. 2<sup>d</sup>. Mer. IndianaCh. 11<sup>th</sup>

North Between Secs. 3 &amp; 4

40.00 Set of Sec. post, from which  
 a Poplar 60 in. dia. bray 148<sup>th</sup> 11<sup>th</sup> br. dist. of  
 a Beech 10 " " " N 32 E 14 " "

60.17 a W. Ash 16 " "

77.87 Intersected N. boundary 235<sup>th</sup> br. E. of post  
 at post cor. to Sec. 3 & 4, from which  
 a W. Ash 12 in. dia. bray East 11<sup>th</sup> br. dist. of  
 a Beech 4 " " " S 38<sup>th</sup> 11<sup>th</sup> 8 " "  
 Level 2<sup>d</sup>. rate land, Beech, Ash, Poplar  
 Sugar &c. underg<sup>th</sup>. Spruce &c

North Between Secs. 32 & 33, (from old boundary line)

18.00 a Beech 20 in. dia.

31.62 Set of Sec. post, from which  
 a Sugar 12 in. dia. bray 150<sup>th</sup> 12<sup>th</sup> br. dist. of  
 a Beech 12 " " " N 21 E 14 " "

56.60 a Do 14 " "

71.62 Set post cor. to Secs. 28, 29, 32 & 33, from which  
 a Beech 6 in. dia. bray East 6<sup>th</sup> br. dist. of  
 a Do. 5 " " " West 15 " "  
 Flat wet land, Beech, Oak, Maple, Hickory &c.

East Outland<sup>th</sup>. between Secs. 28 & 33

40.00 Set temp. of Sec. post

80.70 Intersected the N. & S. line 16<sup>th</sup> br. S. of post  
 Level wet land, 3<sup>d</sup>. rate, Beech, Oak, Hickory  
 underg<sup>th</sup>. Dogwood &c.

West Cor. between Secs. 28 & 33

40.35 Set of Sec. post at average dist. from which  
 a Beech 12 in. dia. bray N 40<sup>th</sup> 14<sup>th</sup> br. dist. of  
 a Do. 10 " " " S 35 E 11 " "

80.70 to Sec. Corner.

North Between Secs. 28 & 29

# S. N. R. & E. T. Mer. Indiana <sup>89</sup>

ch. 11m

21.10 a Beech 15 mi. dist.

40.00 Set up Sec. post, from which  
a Sugar 12 mi. dist. by N 39 E 24 km. dist. of  
a No. 12 " " " N 72 W 15 " "

43.50 Crossed Nyaloozing Cr. runs S. W.

63.61 a Beech 16 mi. dist.

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which  
a Beech 10 mi. dist. by N 40 E 10 km. dist. of  
a W. Oak 36 " " " N 52 E 26 " "  
Broken 2<sup>nd</sup> State land, Beech, Sugar, Oak &c  
under 1<sup>st</sup> Spruce &c.

East On Rand. between Sec. 21 & 28

40.00 Set temp. gr. Sec. post

40.10 Crossed Nyaloozing Cr. runs South

80.50 Intersected the N & S line 150 km. S. of post  
Broken 2<sup>nd</sup> State land, Beech, Oak, Poplar  
Sugar &c. under 1<sup>st</sup> Spruce &c

West Connected between Sec. 21 & 28

40.25 Set up Sec. post at average dist. from which  
a W. Oak 20 mi. dist. by N 10 W 25 km. dist. of  
an Ironwood 6 " " " N 15 E 20 " "

80.50 to Sec. Corner

North Between Sec. 20 & 21

29.90 a Beech 15 mi. dist.

40.00 Set up Sec. post, from which  
a Beech 11 mi. dist. by N 81 E 3 km. dist. of  
a W. Oak 28 " " " N 78 W 24 " "

61.04 a Beech 18 " "

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which  
a Hornbeam 6 mi. dist. by N 36 W 14 km. dist. of  
a Beech 12 " " " N 10 E 31 " "  
Rolling 2<sup>nd</sup> State land, Beech, Oak, Sugar  
Poplar &c. under 1<sup>st</sup> Spruce &c.



90 T8N. V8E. Q.<sup>rd</sup> Mer. Indiana

ch. lth.

East On Rand<sup>m</sup>. between Sec. 16 & 21

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.38 Intersected N & S. line 90 lth. S. of post  
Level 2<sup>nd</sup> rate land, Beech, Ash, Poplar &c.  
underg<sup>m</sup>, Spruce &c.

---

West Connected between Sec. 16 & 21

40.19 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 15 mi. dist. bear N 40 E 28 lth. dist. of  
a do. 30 " " " N 20 W 15 " "

80.38 to Sec. Corner.

---

North Between Sec. 16 & 17

27.70 a Beech 30 mi. dist.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 40 mi. dist. bear N 70 W 18 lth. dist. of  
a do. 12 " " " N 70 E 21 " "

68.00 a do 24 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which  
a Beech 30 mi. dist. bear N 73 W 6 lth. dist. of  
a do. 16 " " " N 60 E 25 " "  
Level 3<sup>rd</sup> rate Beech land

---

East On Rand<sup>m</sup>. between Sec. 9 & 16

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.58 Intersected N & S. line 80 lth. S. of post  
Level 3<sup>rd</sup> rate Beech land, underg<sup>m</sup>.  
Beech, Hornbeam &c.

---

West Connected between Sec. 9 & 16

40.29 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 15 mi. dist. bear S 50 E 10 lth. dist. of  
a do. 12 " " " N 74 W 6 " "

80.58 to Sec. Corner

---

North Between Sec. 8 & 9

91

78 N. R 8 E. 2<sup>d</sup>. Mer. Indiana

ch. l. l. m.

24.70 a N. Elm 30 in. dia.

40.00 Set of Sec. post, from which a  
Sugar 15 in. dia. bear N 32 E 14 l. m. dist. of  
a Beech 8 " " " West 2 " "

59.38 a Poplar 60 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9; from which  
a Beech 12 in. dia. bear South 28 l. m. dist. of  
a R. Oak 50 " " " N 30 E 13 " "  
Level 2<sup>d</sup>. rate land, Beech, Oak, Sugar,  
Poplar &c. underg<sup>th</sup>. Spruce

East On Rand<sup>m</sup>. between Sec. 4 & 9

40.00 Set temp. of Sec. post

80.72 Intersected the N & S. line 100 l. m. S. of post  
Level 2<sup>d</sup>. rate land, Beech, Poplar, Ash  
Elm, &c. underg<sup>th</sup>. Spruce &c.

West Corrected between Sec. 4 & 9

40.36 Set of Sec. post at average dist. from which  
a Beech 30 in. dia. bear West 30 l. m. dist. of  
a N. Elm 12 " " " N 70 E 12 " "

80.72 to Sec. Corner.

North Between Sec. 4 & 5

29.60 a Poplar 50 in. dia.

40.00 Set of Sec. post, from which  
a Beech 18 in. dia. bear South 23 l. m. dist. of  
a Do. 34 " " " N 21 E 31 " "

62.00 a P. Walnut 18 in. dia.

77.64 Intersected N. boundary 246 l. m. E. of post  
Set post Cor. to Sec. 4 & 5, from which  
a P. Oak 18 in. dia. bear N 70 E 12 l. m. dist. of  
a Beech 15 " " " N 30 E 26 " "  
Level 2<sup>d</sup>. rate land, Beech, Oak, Oak  
Poplar &c., underg<sup>th</sup>. Spruce &c.

92 S. St. N. & E. 2<sup>nd</sup> Mer. Indiana

Ch. P. H.

North Between Sec. 31 & 32

15.00 Crossed Myaloozing 50 ltr. wide run, S 60 W.

20.92 a Beech 30 m. dist.

40.00 Set gr. Sec. post, from which  
a Beech 30 m. dist. by N 42 W 36 ltr. dist. of  
a Sugar 12 " " " North 42 " "

60.00 a Fr. ash 18 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which  
a Sugar 4 m. dist. by N 60 W 13 ltr. dist. of  
a Do. 10 " " " N 23 E 24 " "  
Hilly 2<sup>nd</sup> rate land, Beech, Poplar, Ash,  
Sugar &c. underg. <sup>th</sup> Spruce &c

East On Randm. between Sec. 29 & 30

40.00 Set temp. gr. Sec. post

55.50 Crossed Myaloozing run S. W.

81.14 Intersected the N. & S. line 97 ltr. S. of post  
Hilly 3<sup>rd</sup> rate land, Beech, Hickory &c  
underg. <sup>th</sup> Spruce & Logwood

West Corrected between Sec. 29 & 32

40.57 Set gr. Sec. post, at arnage dist. from which  
a Beech 5 m. dist. by N 25 W 17 ltr. dist. of  
a Do. 10 " " " N 28 E 32 " "

81.14 to Sec. Corner.

North Between Sec. 29 & 30

22.23 a Poplar 60 m. dist.

40.00 Set gr. Sec. post, from which  
a Beech 15 m. dist. by N 72 W 23 ltr. dist. of  
a Do. 30 " " " S 85 E 50 " "

67.40 Red Oak 30 " "

70.00 enter fallen timber

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which  
a Gum 16 m. dist. by N 35 E 17 ltr. dist. of  
a Beech 12 " " " N 40 W 22 " "

93

St. N. R. & E. T. Mer. Indiana  
ch. lks.  
Hilly 3<sup>rd</sup> rate land, Beech, Oak, Poplar &  
underg<sup>th</sup> Dogwood, Spice, &c.

---

East On Road<sup>g<sup>m</sup></sup> between Sec. 20 & 29

40.00 Set temp<sup>y</sup> of Sec. post

81.30 Intersected the st of S. line 80 lks. S. of  
post. Hilly 3<sup>rd</sup> rate land, Beech, Gum, Oak,  
Poplar, &c. very brushy; underg<sup>th</sup> Dogw? Beech &c.

---

West Connected between Sec. 20 & 29

40.65 Set of Sec. post, at average dist. from which  
no bearing tree could be taken - Cor. in thicket

81.30 to Sec. Corner.

---

North Between Sec. 19 & 20

38.00 enter fallen timber

40.00 Set of Sec. post, from which  
a Beech 12 in. dia. bears N 37° 11 lks. dist. of  
a W. Ash 18 " " " N 81° E 5 " "

56.00 at Beech 30 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which  
a Poplar 60 in. dia. bears West 5 lks. dist. of  
a Beech 18 " " " N 64° E 7 " "  
Broken 3<sup>rd</sup> rate land, Beech, Oak, Hickory  
&c. underg<sup>th</sup> Dogwood, Spice &c.

---

East On Road<sup>g<sup>m</sup></sup> between Sec. 17 & 20

40.00 Set of Sec. post temporarily

81.47 Intersected st of S. line 115 lks. S. of post  
Rolling 2<sup>nd</sup> rate land, Beech, Ash, Oak,  
Poplar &c. underg<sup>th</sup> Spice &c.

---

West Connected between Sec. 17 & 20

40.73 Set of Sec. post at average dist. from which  
a Beech 10 in. dia. bears N 70° 11 lks. dist. of  
a do. 12 " " " N 19° E 34 " "



94 S & N R & E. 2<sup>nd</sup> Mer. Indiana  
ch. 1<sup>st</sup> 1/2  
81.47 to Sec. Corner

North Between Sec. 17 & 18

23.50 a Sugar 12 mi. dist.

40.00 Set of Sec. post, from which  
a Poplar 48 mi. dist. bear South 22 mi. dist. of  
a Beech 11 " " " N 29 E 33 " "

55.10 a Gum 18 " "

80.00 At post Cor. to Sec. 7, 8, 17 & 18, from which  
a Beech 15 mi. dist. bear S 89 W 27 mi. dist. of

a Do. 8 " " " N 5 E 33 " "

Flat wet land, Beech, Hickory, ash, Gum  
fe. undug<sup>th</sup>. Spruce &c

---

East On Rand<sup>m</sup>. between Sec. 8 & 17

40.00 Set temp. of Sec. post

81.36 Intersected N & S line 154 mi. S. of post  
Level 2<sup>nd</sup>. Rate land, Beech, Sugar, ash,  
Poplar, Hickory &c. undug<sup>th</sup>. Spruce

---

West Connected between Sec. 8 & 17

40.63 Set of Sec. post at average dist. from which  
a Beech 10 mi. dist. bear N 13 W 19 mi. dist. of  
a Do. 8 " " " N 14 E 21 " "

81.36 to Sec. Corner.

---

North Between Sec. 7 & 8

17.60 a Bur Oak 20 mi. dist.

40.00 Set of Sec. post, from which  
a W. Ash 18 mi. dist. bear South 25 mi. dist. of  
a Beech 12 " " " N 63 E 24 " "

63.40 a Do 12 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
a Bur Oak 16 mi. dist. bear S 46 E 11 mi. dist. of  
a Beech 8 " " " N 67 W 5 " "

Level 2<sup>nd</sup>. Rate land Beech, Ash, Poplar, Oak &c

95

T8 N. R8 E. T<sup>n</sup>. Mer. Indiana

ch. l. h.  
underg<sup>th</sup>. Spruce &c

---

East On/Can<sup>m</sup>. between Sec<sup>s</sup>. 5 & 8

40.00 Set temp<sup>t</sup>. of Sec. post

81.70 Intersected the N & S line 136 l<sup>n</sup>. S. of post  
Level 2<sup>d</sup>. rate land, Beech, Ash, Poplar &c.  
underg<sup>th</sup>. Spruce &c.

---

West Corner between Sec<sup>s</sup>. 5 & 8

40.85 Set of Sec. post at average dist. from which  
a Beech 12 in. dia<sup>r</sup>. bear 4 E 6 l<sup>n</sup>. dist. of  
a do. 11 " " " N 30 W 11 " "

81.70 to Sec. Corner.

---

North Between Sec<sup>s</sup>. 5 & 6

24.08 a W. Ash 30 in. dia<sup>r</sup>.

40.00 Set of Sec. post, from which

a W. Ash 12 in. dia<sup>r</sup>. bear 182 W 20 l<sup>n</sup>. dist. of  
a Sugar 6 " " " N 67 E 26 " "

57.85 a Beech 30 " "

77.69 Intersected N. boundary 167 l<sup>n</sup>. E. of post

Set post Cor. to Sec<sup>s</sup>. 5 & 6, from which

a W. Elm 12 in. dia<sup>r</sup>. bear 187 E 8 l<sup>n</sup>. dist. of

a Willow 5 " " " 188 W 20 " "

Flat wet land, Beech, Ash, Hickory, W. Elm  
&c. underg<sup>th</sup>. Spruce &c

---

West Between Sec<sup>s</sup>. 6 & 7

16.00 a W. Ash 20 in. dia<sup>r</sup>.

40.00 Set of Sec. post, from which

a Beech 12 in. dia<sup>r</sup>. bear 173 W 18 l<sup>n</sup>. dist. of

a do. 10 " " " N 54 E 8 " "

56.18 a Beech 20 " "

76.90 Intersected W. boundary 52 l<sup>n</sup>. N. of post

Set post Cor. to Sec<sup>s</sup>. 6 & 7, from which

a Beech 24 in. dia<sup>r</sup>. bear 116 W. 15 l<sup>n</sup>. dist. of

T8 N. R8 E. 2<sup>n</sup>. Mer. Indiana

ch. lth.

a W. Elm 15 in. diam. bray N42 E 41 lth. dist. of  
Level wet land, Beech, Hickory, Gum &c.  
underg<sup>th</sup> Spruce &c.

West Between Sec. 7 of 18

24.50 a Beech 12 in. diam.

40.00 Let of Sec. post, from which

a Beech 30 in. diam. bray N40 E 18 lth. dist. of

a Do. 8 " " " S57 N 18 " "

58.64 a Beech 16 " "

76.00 Intersected N. boundary 48 lth. N. of post

Let post Cor. to Sec. 7 of 18, from which

a W. Elm 18 in. diam. bray N57 E 15 lth. dist. of

aycamore 36 " " " N77 E 2 " "

Level 2<sup>n</sup> rate land, Beech, Sugar, Ash,  
Poplar &c. underg<sup>th</sup> Spruce

West Between Sec. 18 of 19, T8 N. R8 E.

20.20 a Beech 20 in. diam.

40.00 Let of Sec. post, from which

a Beech 8 in. diam. bray S35 N 21 lth. dist. of

a Do. 6 " " " S23 E 16 " "

59.86 a Sugar 16 " "

76.25 Intersected West, Boundary 80 lth. S. of post

a Sugar 16 in. diam. bray North 12 lth. dist. of

a Do. 12 " " " S84 N 23 " "

Bearings for Sec. 18 of 19, on N. boundary

Rolling 2<sup>n</sup> rate land, Beech, Poplar, Sugar  
&c. underg<sup>th</sup> Spruce &c.

West Between Sec. 19 of 30

17.30 a Beech 12 in. diam.

40.00 Let of Sec. post, from which

a Beech 18 in. diam. bray N10 E 11 lth. dist. of

a Do. 14 " " " S30 E 23 " "

61.30 a Beech 10 " "



97

T8 N. R8 E. 2<sup>nd</sup> Mer. Indiana

ch. lks

65.00 Crossed Bear Creek runs S. W  
 76.19 Intersected N. boundary 62 lks. S. of post  
 Set post Cor. to Sec. 19 & 30, from which  
 a Beech 12 in. diam. bears N 13 lks. dist. of  
 a do. 8 " " " N 38 E 17 " "  
 Broken 3<sup>rd</sup> rate land, Beech, Oak, Hick. &c.  
 underg<sup>th</sup>. Spice &c

West Between Sec. 30 & 31

16.76 a Poplar 60 in. diam.

40.00 Set of Sec. post, from which  
 a Beech 30 in. diam. bears North link dist. of  
 a do. 16 " " " N 14 W 25 " "

60.26 a Poplar 48 " "

76.09 Intersected N. Boundary 127 lks. S. of post  
 Set post Cor. to Sec. 30 & 31, from which  
 a Beech 20 in. diam. bears N 14 E 16 lks. dist. of  
 a do. 18 " " " N 26 E 37 " "  
 Shilly 3<sup>rd</sup> rate land, Beech, Poplar, Hickory &c.  
 underg<sup>th</sup>. Beech, Dogwood &c.

November 22<sup>nd</sup> 1849

Rethuel F. Moring  
 Deputy Surveyor

comp.

I Certify that the foregoing transcript of field notes  
 of Township N. 8 N, Range N. 8 E, 2<sup>nd</sup> Mer. Indiana,  
 has been compared with Original in this Office,  
 and found to be correct.

Surveyor General's Office  
 Cincinnati, Sept. 24. 1848

William Johnston  
 Sur. Genl.